


RF ID Antenna

Model : TH-915B



| | | |
|-----|------------------------------|--|
| 1. | WORKING FREQUENCY | 860-960MHz |
| 2. | ELECTRIC WAVE | 1/2 λ : DIPOLE |
| 3. | IMPEDANCE | 50 Ohm , Nominal |
| 4. | V.S.W.R | 2.0 MAX |
| 5. | GAIN | 0.0 dBi |
| 6. | RADIATION | Omni |
| 7. | POLARIZATION | VERTICAL |
| 8. | POWER HANDLING | 1 W MAX |
| 9. | OPERATING TEMPERATURE | -20°C -- +50°C |
| 10. | Antenna Dimensions | 8mm x 80mm |
| 11. | Connector | SMA(M) |
| | | |

| NO. | NAME | FINISH | Q, TY |
|-----|-----------------|----------------|-------|
| 01 | Core tube | Black | 01 |
| 02 | SMA 180° (Male) | Nickel plating | 01 |



| CUSTOMER'S | MODEL | PARTS NUMBER | FREQUENCY | UNIT | SCALE | DATE | VERSION |
|-------------------|------------|--------------|--------------|----------|---------|----------|----------|
| | | | 860/960MHZ | V/M | | 20091123 | 1 |
| TOLERANCE | X. REF. 15 | NAME | PARTS NUMBER | APPROVED | CHECKED | DRAWING | DESIGNED |
| SURFACE ROUGHNESS | \sqrt{R} | APPEARANCE | | | | | |



Third angle projection

